

Test Definition: FOVAS

Ovarian Antibody Screen with Reflex to Titer,

IFA

Overview

Reflex Tests

Test Id	Reporting Name	Available Separately	Always Performed
FOVAT	Anti-Ovary Ab Titer	No	No

Testing Algorithm

If FOVAS "Ovarian Ab Screen w/Reflex" is positive, then FOVAT "Anti-Ovary Ab Titer" will be performed at an additional charge.

Method Name

Immunofluorescence Assay (IFA)

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 1 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.3 mL

Reject Due To

Hemolysis	Mild OK; Gross reject
Lipemia	Mild OK; Gross reject
Icterus	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container



Test Definition: FOVAS

Ovarian Antibody Screen with Reflex to Titer,

IFA

Serum	Refrigerated (preferred)	14 days	
	Ambient	7 days	
	Frozen	30 days	

Clinical & Interpretive

Reference Values

Anti-Ovary Antibody: Negative Anti-Ovary Ab Titer: <1:5

Performance

PDF Report

No

Day(s) Performed

Wednesday

Report Available

2 to 17 days

Performing Laboratory Location

Quest Diagnostics Nichols Institute

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

86255

86256 (if appropriate)

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FOVAS	Ovarian Ab Screen w/Reflex	21436-1



Test Definition: FOVAS

Ovarian Antibody Screen with Reflex to Titer, IFA

Result ID	Test Result Name	Result LOINC® Value
Z3669	Anti-Ovary Antibody	21436-1