

Overview

Method Name

Enzyme immunoassay (FEIA)

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

**Specimen Type:** Serum

**Container/Tube:** Red or SST

**Container/Tube:** Red

**Specimen Volume:** 0.5 mL

**Collection Instructions:** Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 0.5 mL of serum Frozen in a sterile, screw top tube.

Specimen Minimum Volume

0.5 mL

Reject Due To

Gross hemolysis:	Mild OK; Gross Reject
Thawing:	Warm OK; Cold OK
Gross lipemia:	Reject
Gross icterus:	NA
Other:	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	365 days	
	Ambient	7 days	
	Refrigerated	28 days	

## Clinical & Interpretive

### Clinical Information

Although there have been many publications concerning the measurement of allergen-specific IgG, the clinical utility of such tests has not been established except in special situations. Thus, the quantitative IgG test should only be ordered by specialists who recognize the limitations of the test. The normal reference ranges reported represent the expected results for individuals who have no unusual exposure and have not been immunized with the indicated allergen. The ranges reported have no disease-associated significance.

### Reference Values

<52.0 mcg/mL

## Performance

### Method Description

Enzyme immunoassay (FEIA). A standard curve is used to calculate the specific IgG concentrations. The calibrators are referenced to the International Reference Preparation for serum immunoglobulins.

### PDF Report

No

### Report Available

3 to 7 days

### Performing Laboratory Location

Eurofins Viracor

## Fees & Codes

### Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

### Test Classification

This test was developed and its performance characteristics determined By Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

### CPT Code Information

86001

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FCANG	Candida albicans IgG	Not Provided

Result ID	Test Result Name	Result LOINC® Value
FCANG	Candida albicans IgG	Not Provided