

Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Overview

Method Name

Gel Diffusion

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

Specimen Type: Serum
Container/Tube: Red or SST
Specimen Volume: 1 mL

Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 1 mL of

serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.5 mL

Reject Due To

Hemolysis:	Mild OK; Gross Reject
Thawing:	Warm OK; Cold OK
Lipemia:	Mild OK; Gross Reject
Icterus:	Mild OK; Gross Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	28 days	
	Ambient	28 days	
	Frozen	28 days	

Clinical & Interpretive



Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Reference Values

Negative

Interpretation

The gel diffusion method was used to test this patients serum for the presence of precipitating antibodies (IgG) to the antigens indicated. These antibodies are serological markers for exposure and immunological sensitization. The clinical significance varies, depending on the history and symptoms.

Performance

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

5 to 11 days

Performing Laboratory Location

Eurofins Viracor

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information

86331 x 6

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FASPG	Aspergillus IgG Precipitins Panel	Not Provided
Pocult ID	Tost Posult Namo	Pocult LOINC® Value



Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Z5917	Aspergillus amstelodami/glaucus	Not Provided
Z5918	Aspergillus flavus	Not Provided
Z5919	Aspergillus fumigatus Mix	Not Provided
Z5920	Aspergillus nidulans	Not Provided
Z5921	Aspergillus niger	Not Provided
Z5922	Aspergillus versicolor	Not Provided