

Test Definition: FC3AR

C3a Level By RIA

Overview

Method Name

Radioimmunoassay (RIA)

NY State Available

Yes

Specimen

Specimen Type

Plasma EDTA

Specimen Required

Container/Tube: Lavender top (plasma gel tube/PST are not acceptable)

Submission Container/Tube: Plastic vial **Specimen Volume**: 1.5 mL Plasma

Collection Instructions:

- 1. Mix well.
- 2. Within 30 minutes of collection, centrifuge at 1600 (+/-200) x g (rcf) at 4 degrees C for 15 minutes.
- 3. Aliquot 1.5 mL of plasma into a plastic vial.
- 3. Freeze immediately at -20 degrees C for up to 4 weeks or, ideally, at -60 degrees C or below for up to 1 year.
- 4. Send frozen.

Specimen Minimum Volume

Plasma: 0.5 mL

Reject Due To

Gross	Reject
hemolysis	

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma EDTA	Frozen	365 days	

Clinical & Interpretive

Clinical Information



Test Definition: FC3AR

C3a Level By RIA

Refer to www.nationaljewish.org/for-professionals/diagnostic-testing/advanced-diagnostic-laboratories/search-for-tests

Reference Values

0-780 ng/mL

Interpretation

Elevated C3a levels are indicative of classical, alternative and/or lectin pathway activation.

Performance

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

21 to 44 days

Performing Laboratory Location

National Jewish Health

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

The performance characteristics of this test have been validated by National Jewish Health. It has not been cleared or approved by the U.S. Food and Drug Administration. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

CPT Code Information

86160

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FC3AR	C3a Level	4488-3



Test Definition: FC3AR

C3a Level By RIA

Result ID	Test Result Name	Result LOINC® Value
FC3AR	C3a Level	4488-3