

# **Test Definition: FFTFT**

Testosterone, Free (Dialysis) and Total, MS

### **Overview**

#### **Useful For**

Helpful in assessing testicular function in prepubescent hypogonadal males and in managing hirsutism and virilization in females

#### **Method Name**

Chromatography/Mass Spectrometry, Equilibrium Dialysis, Calculation (CALC)

#### **NY State Available**

Yes

# **Specimen**

### **Specimen Type**

Serum Red

### **Specimen Required**

**Collection Container/Tube:** 

**Preferred:** Red top **Acceptable**: Serum gel

Submission Container/tube: Plastic vial

**Specimen Volume:** 1.8 mL **Collection Instructions:** 

- 1. Allow blood to clot at room temperature. Centrifuge and immediately aliquot 1.8 mL of serum into a plastic vial.
- 2. Send refrigerate

Specimen Stability Information: Refrigerated (preferred) 21 days/Ambient 7 days/Frozen 2 years

#### **Specimen Minimum Volume**

0.9 mL

### **Reject Due To**

Gross	Reject
hemolysis	
Gross lipemia	Reject

## **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Serum Red	Refrigerated (preferred)	21 days	



# **Test Definition: FFTFT**

Testosterone, Free (Dialysis) and Total, MS

Ambient	7 days	
Frozen		

# **Clinical & Interpretive**

### **Reference Values**

TESTOSTERONE, TOTAL, MS

Age	Males (ng/dL)	Females (ng/dL)
Cord blood	17-61	16-44
1-10 days	< or =187	< or =24
11-30 days	Not established	Not established
1-2 months	72-344	< or =17
3-4 months	< or =201	< or =12
5-6 months	< or =59	< or =13
7-11 months	< or =16	< or =11
1-5 years	< or =5	< or =8
6-7 years	< or =25	< or =20
8-10 years	< or =42	< or =35
11 years	< or =260	< or =40
12-13 years	< or =420	< or =40
14-17 years	< or =1000	< or =40
> or = 18 years	250-1100	2-45

### TESTOSTERONE, FREE

Age	Males (pg/mL)	Females (pg/mL)
0-4 years	Not established	Not established
5-9 years	<5.4	0.2-5.0
10-13 years	0.7-52.0	0.1-7.4
14-17 years	18.0-111.0	0.5-3.9
18-69 years	35.0-155.0	0.1-6.4
70-89 years	30.0-135.0	0.2-3.7
>89 years	Not established	Not established

### **Performance**

# PDF Report

No

# Day(s) Performed

Monday through Sunday



# **Test Definition: FFTFT**

Testosterone, Free (Dialysis) and Total, MS

### **Report Available**

6 to 9 days

### **Performing Laboratory Location**

**Quest Diagnostics Nichols Institute** 

#### **Fees & Codes**

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

# **Test Classification**

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

#### **CPT Code Information**

84402

84403

## **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
FFTFT	Testosterone Free and Total	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z6077	Testosterone, Total, MS	2986-8
Z6078	Testosterone, Free, (Dialysis)	2991-8