

## Overview

### Method Name

Real-Time Polymerase Chain Reaction (RT-PCR)

### NY State Available

Yes

## Specimen

### Specimen Type

Plasma EDTA

### Specimen Required

**Specimen Type:** Plasma (Preferred)

**Collection Container/Tube:** Lavender-top (EDTA) tube or, yellow-top (ACD-A) or white top (PPT) tube(s).

**Specimen Volume:** 0.7 mL

**Submission Container/Tube:** Plastic vial

#### Collection Instructions:

1. Draw blood in a lavender-top (EDTA), yellow-top (ACD-A) or white top (PPT) tube(s).
2. Centrifuge and transfer 0.7 mL EDTA, or ACD-A or PPT plasma to a screw-cap plastic vial. Submit frozen.

### Specimen Minimum Volume

0.3 mL

### Reject Due To

Other reasons for rejection	Specimens other than serum, plasma; anticoagulant other than ACD, EDTA, PPT
-----------------------------	---

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma EDTA	Frozen (preferred)	30 days	
	Ambient	48 hours	
	Refrigerated	7 days	

## Clinical & Interpretive

**Clinical Information**

JC Polyoma Virus DNA, Quantitative Real-Time PCR, Serum/Plasma – JC Polyoma Virus is the cause of Progressive Multifocal Leukoencephalopathy (PML), a severe demyelinating disease of the central nervous system. PML is a particular concern for individuals infected with the human immunodeficiency virus. Quantification of JC virus DNA is based upon the real-time PCR amplification and detection of JCV genomic DNA. Reportable range is 50 to 50,000,000 IU/mL (1.70 to 7.70 Log IU/mL).

**Reference Values**

JC Virus DNA, QN PCR: Not Detected (IU/mL)

JC Virus DNA, QN PCR: Not Detected (LogIU/mL)

**Performance****PDF Report**

No

**Day(s) Performed**

Monday through Sunday

**Report Available**

3 to 5 days

**Performing Laboratory Location**

Quest Diagnostics

**Fees & Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

**Test Classification**

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

**CPT Code Information**

87799

**LOINC® Information**

## Test Definition: FJCQP

JC Polyoma Virus DNA, Quantitative Real-Time  
PCR, Plasma

---

Test ID	Test Order Name	Order LOINC® Value
FJCQP	JC Virus DNA, QN PCR	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z6085	Source	31208-2
Z6086	JC Virus DNA, QN PCR	101342-4
Z6087	JC Virus DNA, QN PCR	101731-8