

Overview

Method Name

Direct Radioimmunoassay

NY State Available

No

Specimen

Specimen Type

Plasma EDTA

Specimen Required

Patient Preparation:

- 1. Patient should be fasting 10 to 12 hours prior to collection.
- 2. Patient **should not** be on any medications that affect insulin secretion or intestinal motility, if possible, for at least 48 hours prior to collection.

Collection Container/Tube:

**Preferred:** Lavender top (EDTA)

**Acceptable:** Special ISI GI preservative plasma tube (T125)

**Submission Container/Tube:** Plastic vial

**Specimen Volume:** 3 mL

Collection Instructions:

- 1. Centrifuge as soon as possible and aliquot 3 mL of plasma into a plastic vial.
- 2. Freeze plasma immediately after separation and ship frozen.

Specimen Minimum Volume

1 mL

Reject Due To

Gross hemolysis	Reject
Gross lipemia	Reject
Gross icterus	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
---------------	-------------	------	-------------------

# Test Definition: FSOM1

Somatostatin (Somatotropin Release-Inhibiting  
Factor, SRIF)

Plasma EDTA	Frozen (preferred)	180 days	
	Refrigerated	7 days	

## Clinical & Interpretive

### Reference Values

Up to 25 pg/mL

## Performance

### PDF Report

Referral

### Day(s) Performed

Monday through Friday

### Report Available

9 to 11 days

### Performing Laboratory Location

Inter Science Institute

## Fees & Codes

### Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

### Test Classification

This test has not been cleared or approved by the US Food and Drug Administration.

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

### CPT Code Information

84307

### LOINC® Information

# Test Definition: FSOM1

Somatostatin (Somatotropin Release-Inhibiting  
Factor, SRIF)

Test ID	Test Order Name	Order LOINC® Value
FSOM1	Somatostatin (Plasma)	2961-1

Result ID	Test Result Name	Result LOINC® Value
FSOM1	Somatostatin (Plasma)	In Process