

Test Definition: ZW127

Miscellaneous Athena Testing

_			• -	
. 1	Ve	r\/		M
	V .	ıv		vv

Method Name

Varies

NY State Available

No

Specimen

Specimen Type

Varies

Specimen Required

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

- 1. Test name
- 2. Performing lab code
- 3. Specimen Type

Specimen Minimum Volume

Varies

Reject Due To

Specimens	Varies
other than	
Anticoagulants	NA
other than	
Hemolysis	NA
Lipemia	NA
Icteric	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
opcomici Type	. c.mpc.atar.c	1	opeciai containe.



Test Definition: ZW127

Miscellaneous Athena Testing

Varies Varies

Clinical & Interpretive

Reference Values

Test Performed by: Athena Diagnostics 200 Forest Street, 2nd floor Marlborough, MA 01752

Performance

PDF Report

Referral

Day(s) Performed

Varies

Report Available

Varies

Performing Laboratory Location

Athena Diagnostics

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

Varies

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
ZW127	Misc Athena Testing	51991-8

Result ID	Test Result Name	Result LOINC® Value
ZT127	Test Name	19145-2
ZR127	Result	19146-0



Test Definition: ZW127

Miscellaneous Athena Testing

ZF127	Flag	No LOINC Needed
ZV127	Reference Value	19147-8
ZU127	Unit of Measure	No LOINC Needed