

## Overview

### Useful For

Work-up of congenital hemolytic anemias

### Method Name

Only orderable as part of a profile or as a reflex. For more information see:

- HAEV1 / Hemolytic Anemia Evaluation, Blood
- HBEL1 / Hemoglobin Electrophoresis Evaluation, Blood
- THEV1 / Thalassemia and Hemoglobinopathy Evaluation, Blood and Serum
- REVE2 / Erythrocytosis Evaluation, Blood
- MEV1 / Methemoglobinemia Evaluation, Blood

Isopropanol and Heat Stability

### NY State Available

Yes

## Specimen

### Specimen Type

Whole Blood EDTA

### Specimen Required

Only orderable as part of a profile or as a reflex. For more information see:

- HAEV1 / Hemolytic Anemia Evaluation, Blood
- HBEL1 / Hemoglobin Electrophoresis Evaluation, Blood
- THEV1 / Thalassemia and Hemoglobinopathy Evaluation, Blood and Serum
- REVE2 / Erythrocytosis Evaluation, Blood
- MEV1 / Methemoglobinemia Evaluation, Blood

**Container/Tube:** Lavender top (EDTA)

**Specimen Volume:** 4 mL

### Specimen Minimum Volume

1 mL

### Reject Due To

Gross hemolysis	Reject
-----------------	--------

**Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Refrigerated	7 days	

**Clinical & Interpretive****Clinical Information**

Unstable hemoglobin disease is rare and may be caused by any one of a large number of hemoglobin variants. They are inherited as autosomal dominant traits. The severity of the disease varies according to the hemoglobin variant; there may be no clinical symptoms, or the disease may produce a mild, moderate, or severe hemolytic anemia.

The stained peripheral blood smear shows anisocytosis, poikilocytosis, basophilic stippling, polychromasia and, sometimes, hypochromia. The reticulocyte count may be increased. Splenomegaly and Heinz bodies may also be present.

**Reference Values**

Only orderable as part of a profile or as a reflex. For more information see:

- HAEV1 / Hemolytic Anemia Evaluation, Blood
- HBEL1 / Hemoglobin Electrophoresis Evaluation, Blood
- THEV1 / Thalassemia and Hemoglobinopathy Evaluation, Blood and Serum
- REVE2 / Erythrocytosis Evaluation, Blood
- MEV1 / Methemoglobinemia Evaluation, Blood

Normal (reported as normal [stable] or abnormal [unstable])

**Interpretation**

An abnormal or unstable result is indicative of a hemoglobin variant present. Other confirmatory tests should be performed to identify the hemoglobinopathy (HBEL1 / Hemoglobin Electrophoresis Cascade, Blood).

**Cautions**

False-positive results will be obtained in blood specimens containing greater than 5% fetal hemoglobin or in specimens greater than 1 week old.

**Clinical Reference**

1. Hoyer JD, Hoffman DR. The thalassemia and hemoglobinopathy syndromes. In: McClatchey KD, Amin HM, Curry JL, eds. Clinical Laboratory Medicine. 2nd ed. Lippincott Williams and Wilkins; 2002:866-895
2. Benz EJ, Ebert BL. Hemoglobin variants associated with hemolytic anemia, altered oxygen affinity, and methemoglobinemias. In: Hoffman R, Benz EJ, Silberstein LE, et al. eds. Hematology: Basic Principles and Practice. 7th ed. Elsevier; 2018:608-615

**Performance**

**Method Description**

Unstable hemoglobins precipitate in dilute solutions of isopropanol. Washed erythrocytes are hemolyzed and cleared by centrifugation. Isopropanol is added. The hemolysate is incubated at 37 degrees C for 20 minutes and examined for turbidity. There is no turbidity with normal hemoglobins.(Schmidt RM: Laboratory diagnosis of hemoglobinopathies. In: Bick RL ed. Hematology Clinical and Laboratory Practice. Mosby-Year Book Inc; 1993:327-389; Greene DN, Vaughn CP, Crews BO, Agarwal AM. Advances in the detection of hemoglobinopathies. Clin Chim Acta. 2015;439:50-57)

**PDF Report**

No

**Day(s) Performed**

Monday through Friday

**Report Available**

1 to 4 days

**Specimen Retention Time**

30 days

**Performing Laboratory Location**

Mayo Clinic Laboratories - Rochester Main Campus

**Fees & Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

**Test Classification**

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

**CPT Code Information**

83068

**LOINC® Information**

Test ID	Test Order Name	Order LOINC® Value
UNHB	Hb Stability, B	4639-1
Result ID	Test Result Name	Result LOINC® Value
9095	Hb Stability, B	4639-1