

**Overview****Method Name**

High Performance Liquid Chromatography with Ultraviolet Detection (HPLC-UV)

**NY State Available**

Yes

**Specimen****Specimen Type**

Varies

**Specimen Required**

Submit only 1 of the following specimens:

**Plasma**Draw blood in a green-top (sodium heparin) tube(s), **plasma gel tube is not acceptable**. Spin down and send 2 mL sodium heparin plasma refrigerated in a plastic vial.**Serum**Draw blood in a plain red-top tube(s), **serum gel tube is not acceptable**. Spin down and send 2 mL of serum refrigerated in a plastic vial.**Specimen Minimum Volume**

0.3 mL

**Reject Due To**

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	NA

**Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Varies	Ambient	72 hours	
	Refrigerated (preferred)	14 days	
	Frozen	180 days	

**Clinical & Interpretive****Reference Values**

Units: ng/mL

Plasma insulin concentrations have been shown to increase only when plasma glipizide concentrations exceeded 200 ng/mL.

Toxic range has not been established.

**Performance****PDF Report**

No

**Day(s) Performed**

Monday through Sunday

**Report Available**

7 to 10 days

**Specimen Retention Time**

2 weeks

**Performing Laboratory Location**

Medtox Laboratories, Inc.

**Fees & Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

**CPT Code Information**

80299

**LOINC® Information**

Test ID	Test Order Name	Order LOINC® Value
---------	-----------------	--------------------

FGLIP	Glipizide (Glucotrol)	10539-5
-------	-----------------------	---------

Result ID	Test Result Name	Result LOINC® Value
Z1180	Glipizide	10539-5