

## Overview

**Method Name**

Enzyme-Linked Immunosorbent Assay (ELISA)

**NY State Available**

No

## Specimen

**Specimen Type**

Serum

**Specimen Required****Collection Container/Tube:****Preferred:** Red top**Acceptable:** Serum gel**Submission Container/Tube:** Plastic vial**Specimen Volume:** 3 mL Serum**Collection Instructions:**

1. Allow specimen to clot for 30 minutes at room temperature.
2. Centrifuge and aliquot 3 mL of serum into a plastic vial.
3. Send frozen.

**Specimen Minimum Volume**

Serum: 0.5 mL

**Reject Due To**

Gross hemolysis	Reject
Gross lipemia	Reject
List other reasons for rejection	Microbial contaminants

**Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	30 days	
	Refrigerated	14 days	

## Clinical & Interpretive

### Clinical Information

Refer to [www.bioagilytix.com/solutions/capabilities/diagnostic-testing/](http://www.bioagilytix.com/solutions/capabilities/diagnostic-testing/)

### Reference Values

Anti-Phosphatidylcholine IgA: <12.0 U/mL

Anti-Phosphatidylcholine IgG: <12.0 U/mL

Anti-Phosphatidylcholine IgM: <12.0 U/mL

Reference Range applies to Antiphosphatidylcholine IgA, IgG & IgM:

Normal	<12.0
Equivocal	12.0 – 18.0
Elevated	>18.0

## Performance

### PDF Report

No

### Day(s) Performed

Wednesday

### Report Available

3 to 11 days

### Performing Laboratory Location

BioAgilytix Diagnostics

## Fees & Codes

### Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

### Test Classification

The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

**CPT Code Information**

83520/x3

**LOINC® Information**

Test ID	Test Order Name	Order LOINC® Value
FCLNE	Anti-Phosphatidylcholine Panel	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z0149	Anti-phosphatidylcholine IgG	13073-2
Z0140	Anti-Phosphatidylcholine IgM	13074-0
Z0141	Anti-Phosphatidylcholine IgA	13075-7