

Test Definition: FMETX

Methsuximide (Celontin) as Desmethylmethsuximide

_							
()	١.	æ	r۱	71	Δ	W	M

Method Name

Gas Chromatography/Flame Ionization Detection (GC-FID)

NY State Available

Yes

Specimen

Specimen Type

Varies

Specimen Required

Submit only 1 of the following specimens:

Plasma

Draw blood in a green-top (sodium heparin) tube(s), **plasma gel tube is not acceptable.** Spin down and send 2 mL sodium heparin plasma refrigerated in a plastic vial.

Serum

Draw blood in a plain red-top tube(s), **serum gel tube is not acceptable.** Spin down and send 2 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.25 mL

Reject Due To

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	7 days	
	Ambient	72 hours	



Test Definition: FMETX

Methsuximide (Celontin) as Desmethylmethsuximide

Frozen	180 days	
--------	----------	--

Clinical & Interpretive

Reference Values

10.0 - 40.0 ug/mL

Methsuximide measured as desmethylmethsuximide.

Performance

PDF Report

No

Day(s) Performed

Monday through Sunday

Report Available

3 to 7 days

Performing Laboratory Location

Medtox Laboratories, Inc.

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

80339

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FMETX	Methsuximide (Celontin)	3801-8

Result ID	Test Result Name	Result LOINC® Value



Test Definition: FMETX

Methsuximide (Celontin) as Desmethylmethsuximide

 Z1107
 Methsuximide
 3801-8